

Message

From: Chan, Suilin [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=52A7E14EA92C4B378851ADD37BA89866-CHAN, SUILIN]
Sent: 1/12/2022 9:47:56 PM
To: Ruvo, Richard [Ruvo.Richard@epa.gov]; Cruz, Auria [Cruz.Auria@epa.gov]
CC: Doctor, Katherine [Doctor.Katherine@epa.gov]; Laurita, Matthew [Laurita.Matthew@epa.gov]; Petriman, Viorica [Petriman.Viorica@epa.gov]
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

I can forward it to my counterpart in Region 1 but the public comment period already ended in December.

From: Ruvo, Richard <Ruvo.Richard@epa.gov>
Sent: Wednesday, January 12, 2022 4:46 PM
To: Chan, Suilin <Chan.Suilin@epa.gov>; Cruz, Auria <Cruz.Auria@epa.gov>
Cc: Doctor, Katherine <Doctor.Katherine@epa.gov>; Laurita, Matthew <Laurita.Matthew@epa.gov>; Petriman, Viorica <Petriman.Viorica@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Ex. 5 Deliberative Process (DP)

Thanks, Rick

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Wednesday, January 12, 2022 3:55 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>; Ruvo, Richard <Ruvo.Richard@epa.gov>
Cc: Doctor, Katherine <Doctor.Katherine@epa.gov>; Laurita, Matthew <Laurita.Matthew@epa.gov>; Petriman, Viorica <Petriman.Viorica@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Ex. 5 Deliberative Process (DP)

Suilin

From: Cruz, Auria <Cruz.Auria@epa.gov>
Sent: Wednesday, January 12, 2022 2:56 PM
To: Ruvo, Richard <Ruvo.Richard@epa.gov>
Cc: Chan, Suilin <Chan.Suilin@epa.gov>
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Here you go! ☺

Who should respond to this CMS?

Gracias
Auria

-----Original Message-----

From: Ruvo, Richard <Ruvo.Richard@epa.gov>

Sent: Wednesday, January 12, 2022 2:34 PM

To: Cruz, Auria <Cruz.Auria@epa.gov>

Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Auria-

Please download a copy of the letter for me and Suilin. I'd like to review for my personal knowledge.

Thanks, Rick

-----Original Message-----

From: cmsadmin@epa.gov <cmsadmin@epa.gov>

Sent: Wednesday, January 12, 2022 2:08 PM

To: Cruz, Auria <Cruz.Auria@epa.gov>; Ruvo, Richard <Ruvo.Richard@epa.gov>

Subject: CMS New Assignment - Danla Boykin - AX-22-000-1797

Control AX-22-000-1797 has been assigned to your office on 1/12/2022 2:08:25 PM by Danla Boykin. Please go to the CMS webpage to view the details of the control.

Summary Information -

Control Number: AX-22-000-1797

Control Subject: Reading File - Defect in South Fork Wind Revised Draft Air Permit: Failure to Require Offsets for Construction-Related Air Emissions

From: Edlich, Gouri Orekondy

Note: This Email was automatically generated. Please do not attempt to respond to it. You can access this control at <https://cms.epa.gov/cms>. Questions or comments concerning CMS should be directed to CMS Support at 202-564-4985 or CMS.Information@epa.gov.